Index of Authors

Abruzzo, G. *see* Vicente, M.F.
Adams, M.R. *see* Boziaris, I.S.
Aldsworth, T.G. & Macfarlane, T.W. An analysis of bacteriocins produced by lactic acid bacteria isolated from malted barley, 139
Al-Hasan, R.H., Khanafer, M., Eliyas, M. & Radwan, S.S. Hydrocarbon accumulation by picocyanobacteria from the Arabian Gulf, 533
Allison, D.G. *see* Gilbert, P.
Anderson, R.C. *see* Callaway, T.R.
Anderson, T.J. *see* Callaway, T.R.
Andersson, S.G.E. *see* Prior, R.G.
Andrews, D. *see* O'Riordan, K.
Anelich, L.E., Hoffman, L.C. & Swanepoel, M.J. A REVIEW: Spread and prevention of some common viral infections in community facilities and domestic homes, 22
Appleton, H. *see* Seymour, I.J.
Aristoy, M.-C. *see* Fadda, S.
Arnaud, A. *see* Fournand, D.
Arneborg, N. *see* Holm Hansen, E.
Asahara, T., Nomoto, K., Shimuzi, K., Watanuki, M. & Tanaka, R. Increased resistance to *Salmonella enterica serovar Typhimurium* infection by synbiotic administration of Bifidobacteria and transgalactosylated oligosaccharides, 985
Atrih, A. & Foster, S.J. Analysis of the role of bacterial endospore cortex structure in resistance properties and demonstration of its conservation amongst species, 364
Austin, J.W. *see* Kalmokoff, M.L.

Baele, M., Chiers, K., Devriese, L.A., Smith, H.E., Wisselink, H.J., Vaneechoutte, M. & Haesebrouck, F. The Gram-positive tonsillar and nasal flora of piglets before and after weaning, 997
Baele, M., Devriese, L.A. & Haesebrouck, F. *Lactobacillus agilis* is an important component of the pigeon crop flora, 488
Bagsic-Opulencia, R.D., Hayward, A.C. & Fegan, M. Use of ribotyping and random amplified polymorphic DNA to differentiate isolates of *Burkholderia andropogonis*, 686
Baillie, L. & Godfree, A. Preface – Dangerous Pathogens 2000, 571
Baillie, L. The development of new vaccines against *Bacillus anthracis*, 609
Ball, A. *see* Savill, M.G.
Ball, H.J. *see* Kerr, P.
Banerjee, S. *see* Kalmokoff, M.L.
Barbés, C. *see* Boris, S.
Barker, J, Stevens, D. & Bloomfield, S.F. Instructions for authors, 7
Barrière, C., Leroy-Sétrin, S. & Talon, R. Characterization of catalase and superoxide dismutase in *Staphylococcus carnosus* 833 strain, 514
Basilio, A. *see* Vicente, M.F.
Batish, V.K. *see* Pattnaik, P.
Battey, A.S. & Schaffner, D.W. Modelling bacterial spoilage in cold-filled ready to drink beverages by *Acinetobacter calcoaceticus* and *Gluconobacter oxydans*, 237
Bauer, R. *see* Nel, H.A.
Bayer, E.A. *see* Miron, J.
Bellon-Fontaine, M.-N. *see* Meylheuc, T.
Ben-Ghedalia, D. *see* Miron, J.
Bensoussan, M. *see* Sautour, M.
Berg, G., Fritze, A., Roskot, N. & Smalla, K. Evaluation of potential biocontrol rhizobacteria from different host plants of *Verticillium dahliae* Kleb, 963
Bernardeau, M., Vernoux, J.P. & Gueguen, M. Usefulness of epiflourescence for quantitative analysis of lactobacilli in probiotic feed, 1103
Bischoff, K.M. *see* Callaway, T.R.
Blanch, A.R. *see* Cerdà-Cuéllar, M.
Bloomfield, S.F. *see* Barker, J.
Boaretti, M. *see* Lleò, M.M.
Bogado, I., Sutich, E., Krapp, A., Marchiaro, P., Marzi, M., Putero, J. & Carrillo, N. Methicillin resistance study in clinical isolates of coagulase-negative staphylococci and determination of their susceptibility to alternative antimicrobial agents, 344
Bolton, F.J. *see* Richardson, J.F.
Bonato, B. *see* Lleò, M.M.
Boris, S., Jiménez-Díaz, R., Caso, J.L. & Barbés, C. Partial characterization of a bacteriocin produced by *Lactobacillus delbrueckii* subsp. *lactis* UO004, an intestinal isolate with probiotic potential, 328
Bousema, J.T. *see* Havelaar, A.H.
Boyes, H. *see* Devine, D.A.
Boziaris, I.S. & Adams, M.R. Temperature shock, injury and transient sensitivity to nisin in Gram negatives, 715
Bracey, E. *see* Jordan, S.L.
Browne, N. & Dowds, B.C.A. Heat and salt stress in the food pathogen *Bacillus cereus*, 1085
Buckle, K. *see* O'Riordan, K.

Cabello, A. *see* Vicente, M.F.
Caccamo, D., Maugeri, T.L. & Gugliandolo, C. Identification of thermophilic and marine bacilli from shallow thermal vents by restriction analysis of their amplified 16S rDNA, 520
Callaway, T.R., Anderson, R.C., Anderson, T.J., Poole, T.L., Bischoff, K.M., Kubena, L.F. & Nisbet, D.J. *Escherichia coli* O157:H7 becomes resistant to sodium

chlorate in pure culture, but not in mixed culture or *in vivo*, 427
Campbell, G.R., Prosser, J., Glover, A. & Killham, K. Detection of *Escherichia coli* O157:H7 in soil and water using multiplex PCR, 1004
Canepari, P. *see* Lleo, M.M.
Carrillo, N. *see* Bogado, I.
Caso, J.L. *see* Boris, S.
Castrejón, F.P. *see* Martínez-Gamba, R.
Cerdà-Cuéllar, M., Permin, L., Larsen, J.L. & Blanch, A.R. Comparision of selective media for the detection of *Vibrio vulnificus* in environmental samples, 322
Chasseignaux, E., Toquin, M.-T., Ragimbeau, C., Salvat, G., Colin, P. & Ermel, G. Molecular epidemiology of *Listeria monocytogenes* isolates collected from the environment, raw meat and raw products in two poultry- and pork-processing plants, 888
Chen, Z. *see* Lin, D.
Cheun, H.I., Makino, S.-I., Watarai, M., Shirahata, T., Uchida, I. & Takeshi, K. A simple and sensitive detection system for *Bacillus anthracis* in meat and tissue, 421
Chiers, K. *see* Baele, M.
Chilvers, K.F., Perry, J.D., James, A.L. & Reed, R.H. Synthesis and evaluation of novel fluorogenic substrates for the detection of bacterial β-galactosidase, 1118
Chopade, B.A. *see* Patil, J.R.
Christensson, C., Pillidge, C.J., Ward, L.J.H. & O'toole, P.W. Nucleotide sequence and characterization of the cell envelope proteinase plasmid in *Lactococcus lactis* subsp. *cremoris* HP, 334
Cipriani, M. *see* Curtin, Á.C.
Clímaco, A. *see* Mendes, A.
Cocunubo-Castellanos, J. *see* Shimoda, M.
Colin, P. *see* Chasseignaux, E.
Condón, S. *see* Mañas, P.
Conway, P. *see* O'Riordan, K.
Coote, P.J. *see* Lambert, R.J.W.
Corbo, M.R. *see* Curtin, Á.C.
Côté, J.-C. *see* Joung, K.-B.
Cox, S.D., Mann, C.M. & Markham, J.L. Interactions between components of the essential oil of *Melaleuca alternifolia*, 492
Critchley, M.M., Cromar, N.J., Mcclure, N. & Fallowfield, H.J. Biofilms and microbially influenced cuprosolvency in domestic copper plumbing systems, 646
Cromar, N.J. *see* Critchley, M.M.
Crowley, D.E. *see* Ibekwe, A.M.
Curtin, Á.C., De Angelis, M., Cipriani, M., Corbo, M.R., Mcsweeney, P.L.H. & Gobbetti, M. Amino acid catabolism in cheese-related bacteria: selection and study of the effects of pH, temperature and NaCl by quadratic response surface methodology, 312
Dalezios, I. & Siebert, K.J. Comparison of pattern recognition techniques for the identification of lactic acid bacteria, 225
Dambaugh, T.R. *see* De Cesare, A.
Dantigny, P. *see* Sautour, M.
Das, J.R. *see* Gilbert, P.
De Angelis, M. *see* Curtin, Á.C.
De Cesare, A., Manfreda, G., Dambaugh, T.R., Guerzoni, M.E. & Franchini, A. Automated ribotyping and random amplified polymorphic DNA analysis for molecular typing of *Salmonella enteritidis* and *Salmonella typhimurium* strains isolated in Italy, 780
De Graaf, D.C. *see* Dobbelaere, W.
De Jong, P. *see* Klijn, N.
De La Fonteyne, L. *see* Havelaar, A.H.
De Luca, G. *see* Stampi, S.
De Miguel, T. *see* Poza, M.
De Vos, P. *see* Vaerewijck, M.J.M.
De Vuyst, L. *see* Degeest, B.
Degeest, B., Janssens, B. & De Vuyst, L. Exopolysaccharide (EPS) biosynthesis by *Lactobacillus sakei* 0–1: production kinetics, enzyme activities and EPS yields, 470
Denis, M., Refrégier-Petton, J., Laisney, M.-J., Ermel, G. & Salvat, G. *Campylobacter* contamination in French chicken production from farm to consumers. Use of a PCR assay for detection and identification of *Campylobacter jejuni* and *Camp. coli*, 255
Desmedt, E. *see* Dobbelaere, W.
Desmet, I. *see* Tir Touil Meddah, A.
Devine, D.A., Keech, A.P., Wood, D.J., Killington, R.A., Boyes, H., Doubleday, B. & Marsh, P.D. Ultraviolet disinfection with a novel microwave-powered device, 786
Devriese, L.A. *see* Baele, M.
Devriese, L.A. *see* Baele, M.
Di Giambattista, R., Federici, F., Petruccioli, M. & Fenice, M. The chitinolytic activity of *Penicillium janthinellum* P9: purification, partial characterization and potential applications, 498
Dicks, L.M.T. *see* Nel, H.A.
Díez, M.T. *see* Vicente, M.F.
Divies, C. *see* Sautour, M.
Dixon, D.M. *Coccidioides immitis* as a Select Agent of Bioterrorism, 602
Dobbelaere, W., De Graaf, D.C., Reybroeck, W., Desmedt, E., Peeters, J.E. & Jacobs, F.J. Disinfection of wooden structures contaminated with *Paenibacillus larvae* subsp. *larvae* spores, 212
Dooley, J.S.G. *see* Lowery, C.J.
Doubleday, B. *see* Devine, D.A.
Dowds, B.C.A. *see* Browne, N.
Dragon, D.C., Rennie, R.P. & Elkin, B.T. Detection of anthrax spores in endemic regions of northern Canada, 435
Dreikorn, S. *see* Vicente, M.F.
Duarte, G. *see* Vaz-Velho, M.
Dufrenne, J.B. *see* Havelaar, A.H.

Durlu-Ozkaya, F., Xanthopoulos, V., Tunail, N. & Litopoulou-Tzanetaki, E. Technologically important properties of lactic acid bacteria isolates from Beyaz cheese made from raw ewes' milk, 861
Dyrset, N. *see* Klinkenberg, G.

Edwards, C. *see* Goulsbra, A.M.
Edwards, K.J. & Saunders, N.A. The influence of packaging methodology on the microbiological and fatty acid profiles of refrigerated African catfish fillets, 29
Edwards, S.G. & Seddon, B. Mode of antagonism of *Brevibacillus brevis* against *Botrytis cinerea in vitro*, 652
Ehrlich, S.D. *see* Van De Guchte, M.
Eijsink, V.G.H. *see* Vaughan, A.
Eliyas, M. *see* Al-Hasan, R.H.
Elkin, B.T. *see* Dragon, D.C.
Ermel, G. *see* Chasseignaux, E.
Ermel, G. *see* Denis, M.

Fadda, S., Vignolo, G., Aristoy, M.-C., Oliver, G. & Toldrá, F. Effect of curing conditions and *Lactobacillus casei* CRL705 on the hydrolysis of meat proteins, 478
Fallowfield, H.J. *see* Critchley, M.M.
Falvo, A., Levantesi, C., Rossetti, S., Seviour, R.J. & Tandoi, V. Synthesis of intracellular storage polymers by *Amaricoccus kaplicensis*, a tetrad forming bacterium present in activated sludge, 299
Farber, J.M. *see* Kalmokoff, M.L.
Federici, F. *see* Di Giambattista, R.
Fegan, M. *see* Bagsic-Opulencia, R.D.
Fenice, M. *see* Di Giambattista, R.
Fernández-García, E. *see* Morales, P.
Ferreira, M.C. *see* Mendes, A.
Finlay, D. *see* Kerr, P.
Flattery, A. *see* Vicente, M.F.
Font De Valdez, G. *see* Mozzi, F.
Font De Valdez, G. *see* Torino, M.I.
Forbes, B. *see* Lambert, R.J.W.
Forsythe, S.J. *see* Hilton, C.L.
Foschino, R., Picozzi, C. & Galli, A. Comparative study of nine *Lactobacillus fermentum* bacteriophages, 394
Foster, S.J. *see* Atrih, A.
Fournand, D. & Arnaud, A. A REVIEW: Aliphatic and enantioselective amidases: from hydrolysis to acyl transfer activity, 381
Franchini, A. *see* De Cesare, A.
Franz, C.M.A.P. *see* Ott, E.-M.
Fritze, A. *see* Berg, G.
Frost, J.A. *see* Richardson, J.F.

Gabel, M. *see* Ott, E.-M.
Gale, P. & Stanfield, G. Towards a quantitative risk assessment for BSE in sewage sludge, 563
Gale, P. A REVIEW: Developments in microbiological risk assessment for drinking water, 191
Gallagher, M.P. *see* Goulsbra, A.M.
Galli, A. *see* Foschino, R.
Galván, E. *see* Martínez-Gamba, R.
Gan, J. *see* Ibekwe, A.M.
Garssen, J. *see* Havelaar, A.H.
Gatti, M. *see* Giraffa, G.
Gaya, P. *see* Morales, P.
Giacobbe, R.A. *see* Vicente, M.F.
Gibbs, P. *see* Vaz-Velho, M.
Gibson, G.R. *see* Rycroft, C.E.
Gilbert, P., Das, J.R., Jones, M.V. & Allison, D.G. Assessment of resistance towards biocides following the attachment of micro-organisms to, and growth on, surfaces, 248
Giménez, M. *see* González-Fandos, E.
Giraffa, G., Paris, A., Valcavi, L., Gatti, M. & Neviani, E. Genotypic and phenotypic heterogeneity of *Streptococcus thermophilus* strains isolated from dairy products, 938
Glover, A. *see* Campbell, G.R.
Gobbetti, M. *see* Curtin, Á.C.
Godfree, A. *see* Baillie, L.
Godfrey, S.A.C., Marshall, J.W. & Klena, J.D. Genetic characterization of *Pseudomonas* 'NZI7'– a novel pathogen that results in a brown blotch disease of *Agaricus bisporus*, 412
González-Fandos, E., Olarte, C., Giménez, M., Sanz, S. & Simón, A. Behaviour of *Listeria monocytogenes* in packaged fresh mushrooms (*Agaricus bisporus*) , 795
Gordon, J.A. *see* Richardson, J.F.
Goulsbra, A.M., Edwards, C. & Gallagher, M.P. A study of the effect of isothiazolones on the performance and characteristics of a laboratory-scale rotating biological contactor, 104
Gram, L. *see* Himelbloom, B.
Grandison, A.S. *see* Marks, N.E.
Granum, P.E. *see* Stalheim, T.
Grover, S. *see* Pattnaik, P.
Gu, H. *see* Lin, D.
Gueguen, M. *see* Bernardeau, M.
Guerzoni, M.E. *see* De Cesare, A.
Gugliandolo, C. *see* Caccamo, D.

Haesebrouck, F. *see* Baele, M.
Haesebrouck, F. *see* Baele, M.
Hall, S.J. *see* Laopaiboon, L.
Hamilton, M.A. *see* Pitts, B.
Hann, A.C. *see* Walsh, S.E.
Hänninen, M.-L. *see* Rimhanen-Finne, R.
Harford, J.P. *see* Lightfoot, N.F.
Hargreaves, A.J. *see* Hilton, C.L.
Hasell, S. *see* Hudson, J.A.
Havelaar, A.H., Garssen, J., Takumi, K., Koedam, M.A., Dufrenne, J.B., Van Leusden, F.M., De La Fonteyne, L., Bousema, J.T. & Vos, J.G. A rat model for dose–response relationships of *Salmonella* Enteritidis infection, 442

Hayakawa, I. *see* Shimoda, M.
Hayakawa, M. *see* Otoguro, M.
Hayward, A.C. *see* Bagsic-Opulencia, R.D.
Hepburn, N.F. *see* Ogden, I.D.
Herradora, M *see* Martínez-Gamba, R.
Herrewegh, A.A.P.M. *see* Klijn, N.
Heyndrickx, M. *see* Vaerewijck, M.J.M.
Hilton, C.L., Mackey, B.M., Hargreaves, A.J. & Forsythe, S.J. The recovery of *Arcobacter butzleri* NCTC 12481 from various temperature treatments, 929
Himelbloom, B., Nilsson, L. & Gram, L. Factors affecting production of an antilisterial bacteriocin by *Carnobacterium piscicola* strain A9b in laboratory media and model fish systems, 506
Hoffman, L.C. *see* Anelich, L.E.
Holm Hansen, E., Nissen, P., Sommer, P., Nielsen, J.C. & Arneborg, N. The effect of oxygen on the survival of non-*Saccharomyces* yeasts during mixed culture fermentations of grape juice with *Saccharomyces cerevisiae*, 541
Hoste, B. *see* Vaerewijck, M.J.M.
Hudson, J.A. *see* Savill, M.G.
Hudson, J.A., Hasell, S., Whyte, R. & Monson, S. Preliminary microbiological investigation of the preparation of two traditional Maori foods (kina and Tiroi), 814
Hughes, T.A. *see* Ulrich, R.L.

Ibekwe, A.M., Papiernik, S.K., Gan, J., Yates, S.R., Crowley, D.E. & Yang, C.-H. Microcosm enrichment of 1,3-dichloropropene-degrading soil microbial communities in a compost-amended soil, 668
Iimura, Y. *see* Otoguro, M.

Jacobovitch, J. *see* Miron, J.
Jacobs, F.J. *see* Dobbelaere, W.
James, A.L. *see* Chilvers, K.F.
Jankovic, D. *see* Savill, M.G.
Janssens, B. *see* Degeest, B.
Jiménez-Díaz, R. *see* Boris, S.
Johnston, M.D. *see* Lambert, R.J.W.
Jolly, N.P. *see* Strauss, M.L.A.
Jones, M.R. *see* Rycroft, C.E.
Jones, M.V. *see* Gilbert, P.
Jordan, S.L., Pascual, C., Bracey, E. & Mackey, B.M. Inactivation and injury of pressure-resistant strains of *Escherichia coli* O157 and *Listeria monocytogenes* in fruit juices, 463
Joung, K.-B. & Côté, J.-C. A phylogenetic analysis of *Bacillus thuringiensis* serovars by RFLP-based ribotyping, 279
Joynson, J. *see* Lambert, R.J.W.
Juillard, V. *see* Letort, C.

Kago, H. *see* Shimoda, M.
Kalmokoff, M.L., Austin, J.W., Wan, X.-D., Sanders, G., Banerjee, S. & Farber, J.M. Adsorption, attachment and biofilm formation among isolates of *Listeria monocytogenes* using model conditions, 725
Kaushik, J.K. *see* Pattnaik, P.
Keech, A.P. *see* Devine, D.A.
Kerr, P., Finlay, D., Thomson-Carter, F. & Ball, H.J. A comparison of a monoclonal antibody-based sandwich ELISA and immunogenetic bead selective enrichment for the detection of *Escherichia coli* O157 from bovine faeces, 934
Khanafer, M. *see* Al-Hasan, R.H.
Killham, K. *see* Campbell, G.R.
Killington, R.A. *see* Devine, D.A.
Klasson, L. *see* Prior, R.G.
Klein, N., Maillard, M.-B., Thierry, A. & Lortal, S. Conversion of amino acids into aroma compounds by cell-free extracts of *Lactobacillus helveticus*, 404
Klena, J.D. *see* Godfrey, S.A.C.
Klena, J.D. *see* Savill, M.G.
Klijn, N., Herrewegh, A.A.P.M. & De Jong, P. Heat inactivation data for *Mycobacterium avium* subsp. *paratuberculosis: implications for interpretation*, 697
Klinkenberg, G., Lystad, K.Q., Levine, D.W. & Dyrset, N. pH-controlled cell release and biomass distribution of alginate-immobilized *Lactococcus lactis* subsp. *lactis*, 705
Koedam, M.A. *see* Havelaar, A.H.
Kong, L. *see* Vicente, M.F.
Koshikawa, H. *see* Ogino, A.
Kramer, J.M. *see* Richardson, J.F.
Krapp, A. *see* Bogado, I.
Kubena, L.F. *see* Callaway, T.R.
Kurtz, M.B. *see* Vicente, M.F.

Laisney, M.-J. *see* Denis, M.
Lambert, R.J.W. & Johnston, M.D. The effect of interfering substances on the disinfection process: a mathematical model, 548
Lambert, R.J.W. Advances in disinfection testing and modelling, 351
Lambert, R.J.W., Joynson, J. & Forbes, B. The relationships and susceptibilties of some industrial, laboratory and clinical isolates of *Pseudomonas aeruginosa* to some antibiotics and biocides, 972
Lambert, R.J.W., Skandamis, P.N., Coote, P.J. & Nychas, G.-J.E. A study of the minimum inhibitory concentration and mode of action of oregano essential oil, thymol and carvacrol, 453
Lambrechts, M.G. *see* Strauss, M.L.A.
Lamed, R. *see* Miron, J.
Lamikanra, A. *see* Okeke, I.N.
Laopaiboon, L., Smith, R.N. & Hall, S.J. Possible mechanisms for the relative efficacies of *ortho*-phthalaldehyde and glutaraldehyde against glutaraldehyde-resistant *Mycobacterium chelonae*, 93
Larsen, J.L. *see* Cerdà-Cuéllar, M.
Larsson, P. *see* Prior, R.G.

Lebbe, L. *see* Vaerewijck, M.J.M.
Leroy-Sétrin, S. *see* Barrière, C.
Letort, C. & Juillard, V. Development of a minimal chemically-defined medium for the exponential growth of *Streptococcus thermophilus*, 1023
Levantesi, C. *see* Falvo, A.
Levine, D.W. *see* Klinkenberg, G.
Lewis, M.J. *see* Marks, N.E.
Lightfoot, N.F., Richardson, I.R. & Harford, J.P. The use of Lenticules™ for the process control of enumeration techniques in food and environmental microbiology, 660
Lin, D., Qu, L-J., Gu, H. & Chen, Z. A 3·1-kb genomic fragment of *Bacillus subtilis* encodes the protein inhibiting growth of *Xanthomonas oryzae* pv. *oryzae*, 1044
Lin, J. *see* Su, J.-J.
Lin, J.S. *see* Tsen, H.Y.
Lindler, L. *see* Prior, R.G.
Litopoulou-Tzanetaki, E. *see* Durlu-Ozkaya, F.
Liu, B.-Y. *see* Su, J.-J.
Liu, Q.-S. *see* Tay, J.-H.
Liu, Y. *see* Tay, J.-H.
Lleo, M.M., Bonato, B., Tafi, M.C., Signoretto, C., Boaretti, M. & Canepari, P. Resuscitation rate in different enterococcal species in the viable non-culturable state, 1095
Loganathan, P. *see* Rangarajan, S.
Lortal, S. *see* Klein, N.
Loshon, C.A., Melly, E., Setlow, B. & Setlow, P. Analysis of the killing of spores of *Bacillus subtilis* by a new disinfectant, Sterilox, 1051
Lowery, C.J., Moore, J.E., Millar, B.C., Mccorry, K.A.J., Xu, J., Rooney, P.J. & Dooley, J.S.G. Occurrence and molecular genotyping of *Cryptosporidium* spp. in surface waters in Northern Ireland, 774
Lystad, K.Q. *see* Klinkenberg, G.

Macfarlane, T.W. *see* Aldsworth, T.G.
Mackey, B.M. *see* Hilton, C.L.
Mackey, B.M. *see* Jordan, S.L.
Macrae, M. *see* Ogden, I.D.
Maguin, E. *see* Van De Guchte, M.
Maillard, J.-Y. *see* Walsh, S.E.
Maillard, M.-B. *see* Klein, N.
Makino, S.-I. *see* Cheun, H.I.
Mañas, P., Pagán, R., Sala, F.J. & Condón, S. Low molecular weight milk whey components protect *Salmonella* senftenberg 775W against heat by a mechanism involving divalent cations, 871
Manfreda, G. *see* De Cesare, A.
Mann, C.M. *see* Cox, S.D.
Marchiaro, P. *see* Bogado, I.
Markham, J.L. *see* Cox, S.D.
Marks, N.E., Grandison, A.S. & Lewis, M.J. Challenge testing of the lactoperoxidase system in pasteurized milk, 735
Marsh, P.D. *see* Devine, D.A.
Marshall, J.W. *see* Godfrey, S.A.C.
Martínez-Gamba, R., Pradal-Roa, P., Castrejón, F.P., Herradora, M, Galván, E. & Mercado, C. Persistence of *Escherichia coli*, *Salmonella choleraesuis*, Aujeszky's Disease virus and Blue Eye Disease virus in ensilages based on the solid fraction of pig faeces, 750
Marzi, M. *see* Bogado, I.
Maugeri, T.L. *see* Caccamo, D.
Mcclure, N. *see* Critchley, M.M.
Mccormick, R.E. *see* Savill, M.G.
Mccorry, K.A.J. *see* Lowery, C.J.
Mcfeters, G.A. *see* Pitts, B.
Mclauchlin, J. *see* Vaz-Velho, M.
Mcsweeney, P.L.H. *see* Curtin, Á.C.
Medina, M. *see* Morales, P.
Meinz, M. *see* Vicente, M.F.
Melly, E. *see* Loshon, C.A.
Mendes Faia, A. *see* Mendes, A.
Mendes, A., Ferreira, M.C., Clímaco, A. & Mendes Faia, A. Population dynamics and antagonistic potential of enterococci colonizing the phyllosphere of grasses, 67
Mercado, C. *see* Martínez-Gamba, R.
Meylheuc, T., Van Oss, C.J. & Bellon-Fontaine, M.-N. Adsorption of biosurfactant on solid surfaces and consequences regarding the bioadhesion of *Listeria monocytogenes* LO28, 822
Millar, B.C. *see* Lowery, C.J.
Miron, J., Jacobovitch, J., Bayer, E.A., Lamed, R., Morrison, M. & Ben-Ghedalia, D. Subcellular distribution of glycanases and related components in *Ruminococcus albus* SY3 and their role in cell adhesion to cellulose, 677
Miyake, M. *see* Shimoda, M.
Monson, S. *see* Hudson, J.A.
Moore, J.E. *see* Lowery, C.J.
Morales, P., Fernández-García, E., Gaya, P., Medina, M. & Nuñez, M. Hydrolysis of caseins and formation of hydrophilic and hydrophobic peptides by wild *Lactococcus lactis* strains isolated from raw ewes' milk cheese, 907
Morgan, T.D. & Wilson, M. Enumeration of *Campylobacter* in New Zealand recreational and drinking waters, 47
Morrison, M. *see* Miron, J.
Mozzi, F., Rollán, G., Savoy De Giori, G. & Font De Valdez, G. Inhibition of adhesion of food-borne pathogens to Caco-2 cells by *Lactobacillus* strains, 160
Mukai, T. *see* Todoriki, K.
Müller, M. *see* Müller, T.
Müller, M. *see* Ott, E.-M.
Müller, T. *see* Ott, E.-M.
Müller, T., Ulrich, A., Ott, E.-M. & Müller, M. Identification of plant-associated enterococci, 268

Nair, S. *see* Rangarajan, S.
Nakahara, T. *see* Ogino, A.
Nel, H.A., Bauer, R., Vandamme, E.J. & Dicks, L.M.T. Growth optimization of *Pediococcus damnosus* NCFB 1832

and the influence of pH and nutrients on the production of pediocin PD-1, 1131
Neviani, E. *see* Giraffa, G.
Newell, D.G. *see* Petersen, L.
Nielsen, J.C. *see* Holm Hansen, E.
Nilsson, L. *see* Himelbloom, B.
Nisbet, D.J. *see* Callaway, T.R.
Nissen, P. *see* Holm Hansen, E.
Nomoto, K. *see* Asahara, T.
Nuñez, M. *see* Morales, P.
Nychas, G.-J.E. *see* Lambert, R.J.W.
Nychas, G.-J.E. *see* Skandamis, P.N.

O'Hanlon, K. *see* Vaughan, A.
O'Riordan, K., Andrews, D., Buckle, K. & Conway, P. Evaluation of microencapsulation of a *Bifidobacterium* strain with starch as an approach to prolonging viability during storage, 1059
O'sullivan, T.F. *see* Vaughan, A.
O'toole, P.W. *see* Christensson, C.
Ogden, I.D., Hepburn, N.F. & Macrae, M. The optimization of isolation media used in immunomagnetic separation methods for the detection of *Escherichia coli* O157 in foods, 373
Ogino, A., Koshikawa, H., Nakahara, T. & Uchiyama, H. Succession of microbial communities during a biostimulation process as evaluated by DGGE and clone library analyses, 625
Okeke, I.N. & Lamikanra, A. Bacteriological quality of skin-moisturizing creams and lotions distributed in a tropical developing country, 922
Olarte, C. *see* González-Fandos, E.
Oliver, G. *see* Fadda, S.
Onishi, J.C. *see* Vicente, M.F.
Osajima, Y. *see* Shimoda, M.
Otoguro, M., Hayakawa, M., Yamazaki, T. & Iimura, Y. A repeatable laboratory method for testing the efficacy of biocides against toilet bowl biofilms, 118
Ott, E.-M. *see* Müller, T.
Ott, E.-M., Müller, T., Müller, M., Franz, C.M.A.P., Ulrich, A., Gabel, M. & Seyfarth, W. The effects of surface roughness and type of denture acrylic on biofilm formation by *Streptococcus oralis* in a constant depth film fermentor, 54
Oyston, P.C.F. *see* Prior, R.G.

Pagán, R. *see* Mañas, P.
Papiernik, S.K. *see* Ibekwe, A.M.
Paris, A. *see* Giraffa, G.
Pascual, C. *see* Jordan, S.L.
Patil, J.R. & Chopade, B.A. Studies on bioemulsifier production by *Acinetobacter* strains isolated from healthy human skin, 290
Pattnaik, P., Kaushik, J.K., Grover, S. & Batish, V.K. Purification and characterization of a bacteriocin-like compound (Lichenin) produced anaerobically by *Bacillus licheniformis* isolated from water buffalo, 636
Peeters, J.E. *see* Dobbelaere, W.
Peláez, F. *see* Vicente, M.F.
Permin, L. *see* Cerdà-Cuéllar, M.
Perry, J.D. *see* Chilvers, K.F.
Petersen, L. & Newell, D.G. The ability of *Fla*-typing schemes to discriminate between strains of *Campylobacter jejuni*, 217
Petruccioli, M. *see* Di Giambattista, R.
Picozzi, C. *see* Foschino, R.
Pillidge, C.J. *see* Christensson, C.
Pitts, B., Willse, A., Mcfeters, G.A., Hamilton, M.A., Zelver, N. & Stewart, P.S. Surface hygiene monitored using a reporter of *fis* in *Escherichia coli*, 110
Plachá, I., Venglovský, J., Sasáková, N. & Svoboda, I.F. The effect of summer and winter seasons on the survival of *Salmonella typhimurium* and indicator micro-organisms during the storage of solid fraction of pig slurry, 1036
Platas, G. *see* Vicente, M.F.
Poole, T.L. *see* Callaway, T.R.
Potter, C.W. A history of influenza, 572
Poza, M., De Miguel, T., Sieiro, C. & Villa, T.G. Characterization of a broad pH range protease of *Candida caseinolytica*, 916
Pradal-Roa, P. *see* Martínez-Gamba, R.
Prior, R.G., Klasson, L., Larsson, P., Williams, K., Lindler, L., Sjöstedt, A., Svensson, T., Tamas, I., Wren, B.W., Oyston, P.C.F., Andersson, S.G.E. & Titball, R.W. Preliminary analysis and annotation of the partial genome sequence of *Francisella tularensis* strain Schu 4, 614
Prosser, J. *see* Campbell, G.R.
Putero, J. *see* Bogado, I.

Qu, L-J. *see* Lin, D.

Radwan, S.S. *see* Al-Hasan, R.H.
Ragimbeau, C. *see* Chasseignaux, E.
Rangarajan, S., Loganathan, P., Saleena, L.M. & Nair, S. Diversity of pseudomonads isolated from three different plant rhizospheres, 742
Rastall, R.A. *see* Rycroft, C.E.
Rayner, J. *see* Stewart, P.S.
Reed, R.H. *see* Chilvers, K.F.
Rees, W.M. *see* Stewart, P.S.
Refrégier-Petton, J. *see* Denis, M.
Rennie, R.P. *see* Dragon, D.C.
Reybroeck, W. *see* Dobbelaere, W.
Richardson, I.R. *see* Lightfoot, N.F.
Richardson, J.F., Frost, J.A., Kramer, J.M., Thwaites, R.T., Bolton, F.J., Wareing, D.R.A. & Gordon, J.A. Coinfection with *Campylobacter* species: an epidemiological problem?, 206

Rimhanen-Finne, R., Ronkainen, P. & Hänninen, M.-L. Simultaneous detection of *Cryptosporidium parvum* and *Giardia* in sewage sludge by IC-PCR, 1030
Risbourg, B. *see* Tir Touil Meddah, A.
Roe, F. *see* Stewart, P.S.
Rollán, G. *see* Mozzi, F.
Romond, M.B. *see* Tir Touil Meddah, A.
Ronkainen, P. *see* Rimhanen-Finne, R.
Rooney, P.J. *see* Lowery, C.J.
Rosenbach, M. *see* Vicente, M.F.
Roskot, N. *see* Berg, G.
Rossetti, S. *see* Falvo, A.
Rouget, A. *see* Sautour, M.
Russell, A.D. *see* Walsh, S.E.
Rycroft, C.E., Jones, M.R., Gibson, G.R. & Rastall, R.A. A comparative *in vitro* evaluation of the fermentation properties of prebiotic oligosaccharides, 878

Sala, F.J. *see* Mañas, P.
Saleena, L.M. *see* Rangarajan, S.
Salih, F.M. Prediction of growth of *Bacillus megaterium* spores as affected by gamma radiation dose and spore load, 176
Salvat, G. *see* Chasseignaux, E.
Salvat, G. *see* Denis, M.
Sanders, G. *see* Kalmokoff, M.L.
Sanz, S. *see* González-Fandos, E.
Sasáková, N. *see* Plachá, I.
Sato, S. *see* Todoriki, K.
Saunders, N.A. *see* Edwards, K.J.
Sautour, M., Rouget, A., Dantigny, P., Divies, C. & Bensoussan, M. Application of Doehlert design to determine the combined effects of temperature, water activity and pH on conidial germination of *Penicillium chrysogenum*, 900
Savill, M.G., Hudson, J.A., Ball, A., Klena, J.D., Scholes, P., Whyte, R.J., Mccormick, R.E. & Jankovic, D. Real-time PCR to measure stress-induced changes in the expression of the genes of the alginate pathway of *Pseudomonas aeruginosa*, 38
Savoy De Giori, G. *see* Mozzi, F.
Schaffner, D.W. *see* Battey, A.S.
Scheldeman, P. *see* Vaerewijck, M.J.M.
Scholes, P. *see* Savill, M.G.
Schwartz, M. The life and works of Louis Pasteur, 597
Seddon, B. *see* Edwards, S.G.
Sefton, A.M. The Great Pox that was.Syphilis, 592
Sellwood, J. *see* Wyn-Jones, A.P.
Sesma, F. *see* Torino, M.I.
Setlow, B. *see* Loshon, C.A.
Setlow, P. *see* Loshon, C.A.
Seviour, R.J. *see* Falvo, A.
Seyfarth, W. *see* Ott, E.-M.
Seymour, I.J. & Appleton, H. A REVIEW: Foodborne viruses and fresh produce, 759
Shimoda, M., Cocunubo-Castellanos, J., Kago, H., Miyake, M., Osajima, Y. & Hayakawa, I. The influence of dissolved CO_2 concentration on the death kinetics of *Saccharomyces cerevisiae*, 306
Shimuzi, K. *see* Asahara, T.
Shirahata, T. *see* Cheun, H.I.
Siebert, K.J. *see* Dalezios, I.
Sieiro, C. *see* Poza, M.
Signoretto, C. *see* Lleo, M.M.
Simón, A. *see* González-Fandos, E.
Sjöstedt, A. *see* Prior, R.G.
Skandamis, P.N. & Nychas, G.-J.E. Effect of oregano essential oil on microbiological and physico-chemical attributes of minced meat stored in air and modified atmospheres, 1011
Skandamis, P.N. *see* Lambert, R.J.W.
Smalla, K. *see* Berg, G.
Smith, H. Dangerous Pathogens 2000: an overview of the international conference, 621
Smith, H.E. *see* Baele, M.
Smith, R.N. *see* Laopaiboon, L.
Sommer, P. *see* Holm Hansen, E.
Stalheim, T. & Granum, P.E. Characterization of spore appendages from *Bacillus cereus* strains, 839
Stampi, S., De Luca, G. & Zanetti, F. Evaluation of the efficiency of peracetic acid in the disinfection of sewage effluents, 833
Stanfield, G. *see* Gale, P.
Stevens, D. *see* Barker, J.
Stewart, P.S. *see* Pitts, B.
Stewart, P.S., Rayner, J., Roe, F. & Rees, W.M. Biofilm penetration and disinfection efficacy of alkaline hypochlorite and chlorosulfamates, 525
Stewart-Tull, D.E.S. Vaba, Haiza, Kholera, Foklune or Cholera: in any language still the disease of seven pandemics, 580
Strauss, M.L.A., Jolly, N.P., Lambrechts, M.G. & Van Rensburg, P. Microscopic observation of aerobic granulation in sequential aerobic sludge blanket reactor, 182
Su, J.-J., Liu, B.-Y., Lin, J. & Yang, C.-P. Isolation of an aerobic denitrifying bacterial strain NS-2 from the activated sludge of piggery wastewater treatment systems in Taiwan possessing denitrification under 92% oxygen atmosphere, 853
Sutich, E. *see* Bogado, I.
Svensson, T. *see* Prior, R.G.
Svoboda, I.F. *see* Plachá, I.
Swanepoel, M.J. *see* Anelich, L.E.

Tafi, M.C. *see* Lleo, M.M.
Takeshi, K. *see* Cheun, H.I.
Takumi, K. *see* Havelaar, A.H.
Talon, R. *see* Barrière, C.
Tamas, I. *see* Prior, R.G.
Tanaka, R. *see* Asahara, T.

Tandoi, V. *see* Falvo, A.
Taranto, M.P. *see* Torino, M.I.
Tay, J.-H., Liu, Q.-S. & Liu, Y. Effect of galactose and glucose on the exopolysaccharide production and the activities of biosynthetic enzymes in *Lactobacillus casei* CRL 87, 168
Thierry, A. *see* Klein, N.
Thompson, J. *see* Vicente, M.F.
Thomson-Carter, F. *see* Kerr, P.
Thwaites, R.T. *see* Richardson, J.F.
Tir Touil Meddah, A., Yazourh, A., Desmet, I., Risbourg, B., Verstraete, W. & Romond, M.B. The regulatory effects of whey retentate from Bifidobacteria fermented milk on the microbiota of the Simulator of the Human Intestinal Microbial Ecosystem (SHIME) , 1110
Titball, R.W. *see* Prior, R.G.
Toba, T. *see* Todoriki, K.
Todoriki, K., Mukai, T., Sato, S. & Toba, T. Production of growth-inhibiting factors by *Lactobacillus delbrueckii*, 154
Toldrá, F. *see* Fadda, S.
Toquin, M.-T. *see* Chasseignaux, E.
Torino, M.I., Taranto, M.P., Sesma, F. & Font De Valdez, G. Heterofermentative pattern and exopolysaccharide production by *Lactobacillus helveticus* ATCC 15807 in response to environmental pH, 846
Tsen, H.Y. & Lin, J.S. The role of non-*Saccharomyces* species in releasing glycosidic bound fraction of grape aroma components – a preliminary study, 72
Tsipouras, A. *see* Vicente, M.F.
Tunail, N. *see* Durlu-Ozkaya, F.

Uchida, I. *see* Cheun, H.I.
Uchiyama, H. *see* Ogino, A.
Ulrich, A. *see* Müller, T.
Ulrich, A. *see* Ott, E.-M.
Ulrich, R.L. & Hughes, T.A. Cloning and expression analysis of the 28 kDa protein from *Lactobacillus delbrueckii* subsp. *lactis* ATCC 4797 hypothesized to influence lactacin B production, 1067

Vaerewijck, M.J.M., De Vos, P., Lebbe, L., Scheldeman, P., Hoste, B. & Heyndrickx, M. Occurrence of *Bacillus sporothermodurans* and other aerobic spore-forming species in feed concentrate for dairy cattle, 1074
Valcavi, L. *see* Giraffa, G.
Van De Guchte, M., Ehrlich, S.D. & Maguin, E. A novel *in vitro* model system to grow films of oral bacteria for the study of human tooth root surface caries, 147
Van Leusden, F.M. *see* Havelaar, A.H.
Van Oss, C.J. *see* Meylheuc, T.
Van Rensburg, P. *see* Strauss, M.L.A.
Van Sinderen, D. *see* Vaughan, A.
Vandamme, E.J. *see* Nel, H.A.
Vaneechoutte, M. *see* Baele, M.
Vaughan, A., Eijsink, V.G.H., O'sullivan, T.F., O'Hanlon, K. & Van Sinderen, D. An integrated method for the enrichment and selective isolation of *Actinokineospora* spp. in soil and plant litter, 131
Vaz-Velho, M., Duarte, G., Mclauchlin, J. & Gibbs, P. Characterization of *Listeria monocytogenes* isolated from production lines of fresh and cold-smoked fish, 556
Venglovský, J. *see* Plachá, I.
Vernoux, J.P. *see* Bernardeau, M.
Verstraete, W. *see* Tir Touil Meddah, A.
Vicente, M.F., Cabello, A., Platas, G., Basilio, A., Díez, M.T., Dreikorn, S., Giacobbe, R.A., Onishi, J.C., Meinz, M., Kurtz, M.B., Rosenbach, M., Thompson, J., Abruzzo, G., Flattery, A., Kong, L., Tsipouras, A., Wilson, K.E. & Peláez, F. Antimicrobial activity ergokonin A from *Trichoderma longibrachiatum*, 806
Vignolo, G. *see* Fadda, S.
Villa, T.G. *see* Poza, M.
Vos, J.G. *see* Havelaar, A.H.

Walsh, S.E., Maillard, J.-Y., Russell, A.D. & Hann, A.C. Analysis of *Salmonella enteritidis* strains isolated from food-poisoning cases in Taiwan by pulsed field gel electrophoresis, plasmid profile and phage typing, 80
Wan, X.-D. *see* Kalmokoff, M.L.
Ward, L.J.H. *see* Christensson, C.
Wareing, D.R.A. *see* Richardson, J.F.
Watanuki, M. *see* Asahara, T.
Watarai, M. *see* Cheun, H.I.
Whyte, R. *see* Hudson, J.A.
Whyte, R.J. *see* Savill, M.G.
Williams, K. *see* Prior, R.G.
Williamson, E.D. Plague vaccine research and development, 606
Willse, A. *see* Pitts, B.
Wilson, K.E. *see* Vicente, M.F.
Wilson, M. *see* Morgan, T.D.
Wisselink, H.J. *see* Baele, M.
Wood, D.J. *see* Devine, D.A.
Wren, B.W. *see* Prior, R.G.
Wyn-Jones, A.P. & Sellwood, J. A REVIEW: Enteric viruses in the aquatic environment, 945

Xanthopoulos, V. *see* Durlu-Ozkaya, F.
Xu, J. *see* Lowery, C.J.

Yamazaki, T. *see* Otoguro, M.
Yang, C.-H. *see* Ibekwe, A.M.
Yang, C.-P. *see* Su, J.-J.
Yates, S.R. *see* Ibekwe, A.M.
Yazourh, A. *see* Tir Touil Meddah, A.

Zanetti, F. *see* Stampi, S.
Zelver, N. *see* Pitts, B.

Index of Subjects

A DNA fragment encodes anti-*Xoo* peptides (D. Lin, L-J. Qu, H. Gu & Z. Chen) 1044
Aerobic granulation (J.-H. Tay, Q.-S. Liu & Y. Liu) 168
A history of influenza (C.W. Potter) 572
A lactococcal proteinase plasmid (C. Christensson, C.J. Pillidge, L.J.H. Ward & P.W. O'Toole) 334
Alginate gene expression (K.J. Edwards & N.A. Saunders) 29
Amidases: hydrolysis and acyl transfer (D. Fournand & A. Arnaud) 381
Amino acid catabolic enzymes (Á.C. Curtin, M. De Angelis, M. Cipriani, M.R. Corbo, P.L.H. McSweeney & M. Gobbetti) 312
Anthrax spore environmental study (D.C. Dragon, R.P. Rennie & B.T. Elkin) 435
Antibiotic and biocide resistance (R.J.W. Lambert, J. Joynson & B. Forbes) 972
Appendages from *Bacillus cereus* (T. Stalheim & P.E. Granum) 839
Arcobacter butzleri recovery (C.L. Hilton, B.M. Mackey, A.J. Hargreaves & S.J. Forsythe) 929
Attachment of *Listeria monocytogenes* (M.L. Kalmokoff, J.W. Austin, X.-D. Wan, G. Sanders, S. Banerjee & J.M. Farber) 725

β-Glycosidase acivity in wine yeasts (A. Mendes Ferreira, M.C. Clímaco & A. Mendes Faia) 67
Bacteriocin from *Lact. delbrueckii* subsp. *lactis* (S. Boris, R. Jiménez-Díaz, J.L. Caso & C. Barbés) 328
Bacteriocin production by *Carnobacterium piscicola* (B. Himelbloom, L. Nilsson & L. Gram) 506
Bacteriocins produced by lactic acid bacteria (A. Vaughan, V.G.H. Eijsink, T.F. O'Sullivan, K. O'Hanlon & D. van Sinderen) 131
Bacteriological quality of creams and lotions (I.N. Okeke & A. Lamikanra) 922
Biocide susceptibility of attached bacteria (P. Gilbert, J.R. Das, M.V. Jones & D.G. Allison) 248
Bioemulsifier production by acinetobacters (J.R. Patil & B.A. Chopade) 290
Biofilm resistance to chlorine (P.S. Stewart, J. Rayner, F. Roe & W.M. Rees) 525
Biofilms and cuprosolvency in drinking water (M.M. Critchley, N.J. Cromar, N. McClure & H.J. Fallowfield) 646
Biocontrol of *Bot. cinerea in vitro* (S.G. Edwards & B. Seddon) 652
Broad range protease from *Candida* (M. Poza, T. de Miguel, C. Sieiro & T.G. Villa) 916
BSE in sewage sludge (P. Gale & G. Stanfield) 563

Campylobacter in water (M.G. Savill, J.A. Hudson, A. Ball, J.D. Klena, P. Scholes, R.J. Whyte, R.E. McCormick & D. Jankovic) 38
Catalase and superoxide dismutase in *Staphylococcus carnosus* (C. Barrière, S. Leroy-Sétrin & R. Talon) 514
Challenging lactoperoxidase (N.E. Marks, A.S. Grandison & M.J. Lewis) 735
Characterization of Lichenin (P. Pattnaik, J.K. Kaushik, S. Grover & V.K. Batish) 636
Characterization of *Listeria monocytogenes* (M. Vaz-Velho, G. Duarte, J. McLauchlin & P. Gibbs) 556
Chitinolytic activity of *P. janthinellum* (R. Di Giambattista, F. Federici, M. Petruccioli & M. Fenice) 498
Cholera: the disease of seven pandemics (D.E.S. Stewart-Tull) 580
C. immitis as a Select Agent of bioterrorism (D.M. Dixon) 602
Coinfection with *Campylobacter* spp. (J.F. Richardson, J.A. Frost, J.M. Kramer, R.T. Thwaites, F.J. Bolton, D.R.A. Wareing & J.A. Gordon) 206
Comparison of prebiotics (C.E. Rycroft, M.R. Jones, G.R. Gibson & R.A. Rastall) 878
Conversion of amino acids by *Lact. helveticus* (N. Klein, M.-B. Maillard, A. Thierry & S. Lortal) 404
Cryptosporidium in surface water (C.J. Lowery, J.E. Moore, B.C. Millar, K.A.J. McCorry, J. Xu, P.J. Rooney & J.S.G. Dooley) 774
Curing agents on *Lact. casei* proteolytic activity (S. Fadda, G. Vignolo, M.-C. Aristoy, G. Oliver & F. Toldrá) 478

Dangerous Pathogens 2000 (H. Smith) 621
Death kinetics of *S. cerevisiae* by dissolved CO_2 (M. Shimoda, J. Cocunubo-Castellanos, H. Kago, M. Miyake, Y. Osajima & I. Hayakawa) 306
Denture roughness and biofilms (T.D. Morgan & M. Wilson) 47
Detection of *B. anthracis* from meat (H.I. Cheun, S.-I. Makino, M. Watarai, T. Shirahata, I. Uchida & K. Takeshi) 421
Detection of *C. parvum* and *Giardia* (R. Rimhanen-Finne, P. Ronkainen & M.-L. Hänninen) 1030
Disinfection by microwave-generated u.v. (D.A. Devine, A.P. Keech, D.J. Wood, R.A. Killington, H. Boyes, B. Doubleday & P.D. Marsh) 786

Detection of bacterial β-galactosidase (K.F. Chilvers, J.D. Perry, A.L. James & R.H. Reed) 1118
Distribution of *R. albus* glycanase-related components (J. Miron, J. Jacobovitch, E.A. Bayer, R. Lamed, M. Morrison & D. Ben-Ghedalia) 677
Disinfection of wooden hive material (W. Dobbelaere, D.C. de Graaf, W. Reybroeck, E. Desmedt, J.E. Peeters & F.J. Jacobs) 212
Disinfection testing and modelling (R.J.W. Lambert) 351
Disinfection – the effect of soil (R.J.W. Lambert & M.D. Johnston) 548
Drinking water risk assessment (P. Gale) 191

E. coli O157:H7 chlorate resistance (T.R. Callaway, R.C. Anderson, T.J. Anderson, T.L. Poole, K.M. Bischoff, L.F. Kubena & D.J. Nisbet) 427
Effect of isothiazolones on rotating biological contactors (L. Laopaiboon, R.N. Smith & S.J. Hall) 93
Effects of oregano oil (P.N. Skandamis & G.-J.E. Nychas) 1011
Effect of packaging on catfish fillets (L.E. Anelich, L.C. Hoffman & M.J. Swanepoel) 22
Effects of temperature, water activity and pH on germination of *P. chrysogenum* (M. Sautour, A. Rouget, P. Dantigny, C. Divies & M. Bensoussan) 900
Encapsulation of a Bifidobacteria with starch as an approach to prolonging viability during storage (K. O'Riordan, D. Andrews, K. Buckle & P. Conway) 1059
Enrichment of 1,3-dichloropropene-degrading community (A.M. Ibekwe, S.K. Papiernik, J. Gan, S.R. Yates, D.E. Crowley & C.-H. Yang) 668
Enteric viruses in water (A.P. Wyn-Jones & J. Sellwood) 945
Enzymes produced by wine yeasts (M.L.A. Strauss, N.P. Jolly, M.G. Lambrechts & P. van Rensburg) 182
Epidemiology of *Listeria monocytogenes* (E. Chasseignaux, M.-T. Toquin, C. Ragimbeau, G. Salvat, P. Colin & G. Ermel) 888
EPS biosynthesis by *Lact. sakei* 0–1 (B. Degeest, B. Janssens & L. De Vuyst) 470
EPS enzymes in *Lactobacillus* (F. Mozzi, G. Rollán, G. Savoy de Giori & G. Font de Valdez) 160
Ergokonin A from *Trichoderma longibrachiatum* (M.F. Vicente, A. Cabello, G. Platas, A. Basilio, M.T. Díez, S. Dreikorn, R.A. Giacobbe, J.C. Onishi, M. Meinz, M.B. Kurtz, M. Rosenbach, J. Thompson, G. Abruzzo, A. Flattery, L. Kong, A. Tsipouras, K.E. Wilson & F. Peláez) 806
Evaluation of biocontrol bacteria (G. Berg, A. Fritze, N. Roskot & K. Smalla) 963

Fla-typing of *Camp. jejuni* (L. Petersen & D.G. Newell) 217

Genetic diversity of *Burkholderia andropogonis* (R.D. Bagsic-Opulencia, A.C. Hayward & M. Fegan) 686
Growth of *Strep. thermophilus* in minimal medium (C. Letort & V. Juillard) 1023

Heat and salt stress in *Bacillus cereus* (N. Browne & B.C.A. Dowds) 1085
Heat inactivation of *Mycobacterium paratuberculosis* (N. Klijn, A.A.P.M. Herrewegh & P. de Jong) 697
Heterofermentative and EPS production by *Lact. helveticus* ATCC 15807 in response to environmental pH (M.I. Torino, M.P. Taranto, F. Sesma & G. Font de Valdez) 846
Heterogeneity of *Strep. thermophilus* strains isolated from dairy products (G. Giraffa, A. Paris, L. Valcavi, M. Gatti & E. Neviani) 938
Hydrocarbon accumulation by picocyanobacteria (R.H. Al-Hasan, M. Khanafer, M. Eliyas & S.S. Radwan) 533

Identification of aerobic spore-forming bacteria from feed concentrate (M.J.M. Vaerewijck, P. De Vos, L. Lebbe, P. Scheldeman & B. Hoste & M. Heyndrickx) 1074
Immobilized lactic acid bacteria (G. Klinkenberg, K.Q. Lystad, D.W. Levine & N. Dyrset) 705
IMS media for *E. coli* O157 in food (I.D. Ogden, N.F. Hepburn & M. MacRae) 373
Inhibition of pathogen by *Lactobacillus* (K. Todoriki, T. Mukai, S. Sato & T. Toba) 154
Interactions between monoterpenes in tea tree oil (S.D. Cox, C.M. Mann & J.L. Markham) 492
In vitro model of tooth root surface caries (T.G. Aldsworth & T.W. MacFarlane) 139
Isolation of *Actinokineospora* (M. Otoguro, M. Hayakawa, T. Yamazaki & Y. Iimura) 118
Isolation of an aerobic denitrifying bacterial strain NS-2 under 92% oxygen atmosphere (J.-J. Su, B.-Y. Liu, J. Lin & C.-P. Yang) 853

Laboratory method for biofilm testing (B. Pitts, A. Willse, G.A. McFeters, M.A. Hamilton, N. Zelver & P.S. Stewart) 110
Lactacin B induction by *Lactobacillus delbrueckii* subsp. *lactis* ATCC 4797 hypothesized to influence production (R.L. Ulrich & T.A. Hughes) 1067
Lact. delbrueckii inhibiting factors (M. van de Guchte, S.D. Ehrlich & E. Maguin) 147
Lactic acid bacteria and Beyaz cheese (F. Durlu-Ozkaya, V. Xanthopoulos, N. Tunail & E. Litopoulou-Tzanetaki) 861
Lactobacilli in probiotic feed (M. Bernardeau, J.P. Vernoux & M. Gueguen) 1103

Lactobacillus fermentum phages (R. Foschino, C. Picozzi & A. Galli) 394
L. monocytogenes in mushrooms (*Agaricus bisporus*) (E. González-Fandos, C. Olarte, M. Giménez, S. Sanz & A. Simón) 795
Lenticules™ for quality control (N.F. Lightfoot, I.R. Richardson & J.P. Harford) 660

Maori food fermentations (J.A. Hudson, S. Hasell, R. Whyte & S. Monson) 814
Mechanism of spore killing by Sterilox® (C.A. Loshon, E. Melly, B. Setlow & P. Setlow) 1051
Methicillin resistance in coagulase-negative staphylococci (I. Bogado, E. Sutich, A. Krapp, P. Marchiaro, M. Marzi, J. Putero & N. Carrillo) 344
Microbial change in biostimulation (A. Ogino, H. Koshikawa, T. Nakahara & H. Uchiyama) 625
Modelling spoilage in beverages (A.S. Battey & D.W. Schaffner) 237
Mode of action and MIC of oregano essential oil (R.J.W. Lambert, P.N. Skandamis, P.J. Coote & G.-J.E. Nychas) 453
Modification of *Listeria* adhesion (T. Meylheuc, C.J. van Oss & M.-N. Bellon-Fontaine) 822
Molecular typing of *Salmonella* (A. De Cesare, G. Manfreda, T.R. Dambaugh, M.E. Guerzoni & A. Franchini) 780
Multiplex PCR detection of *E. coli* O157:H7 (G.R. Campbell, J. Prosser, A. Glover & K. Killham) 1004

New vaccines against *B. anthracis* (L. Baillie) 609
Novel pseudomonad causing brown blotch (S.A.C. Godfrey, J.W. Marshall & J.D. Klena) 412

Optimization of pediocin PD-1 by fermantation (H.A. Nel, R. Bauer, E.J. Vandamme & L.M.T. Dicks) 1131
Ortho-phthalaldehyde, glutaraldehyde and *Mycobacterium chelonae* (S.E. Walsh, J.-Y. Maillard, A.D. Russell & A.C. Hann) 80
Oxygen and grape juice fermentation (E. Holm Hansen, P. Nissen, P. Sommer, J.C. Nielsen & N. Arneborg) 541

Partial genome sequence of *F. tularensis* (R.G. Prior, L. Klasson, P. Larsson, K. Williams, L. Lindler, A. Sjöstedt, T. Svensson, I. Tamas, B.W. Wren, P.C.F. Oyston, S.G.E. Andersson & R.W. Titball) 614
Pattern recognition of bacteria (I. Dalezios & K.J. Siebert) 225
PCR *Campylobacter* detection in chicken production (M. Denis, J. Refrégier-Petton, M.-J. Laisney, G. Ermel & G. Salvat) 255
Peptidoglycan structure and spore properties (A. Atrih & S.J. Foster) 364
PFGE, plasmid and phage type for *Salmonella enteritidis* (H.Y. Tsen & J.S. Lin) 72
PHA storage in *Amaricoccus kaplicensis* (A. Falvo, C. Levantesi, S. Rossetti, R.J. Seviour & V. Tandoi) 299
Pigeon crop flora (M. Baele, L.A. Devriese & F. Haesebrouck) 488
Pig faeces ensilage microbiology (R. Martínez-Gamba, P. Pradal-Roa, F.P. Castrejón, M. Herradora, E. Galván & C. Mercado) 750
Plague vaccine research and development (E.D. Williamson) 606
Plant-associated enterococci (T. Müller, A. Ulrich, E.-M. Ott & M. Müller) 268
Population dynamics of enterococci (E.-M. Ott, T. Müller, M. Müller, C.M.A.P. Franz, A. Ulrich, M. Gabel & W. Seyfarth) 54
Porcine Gram-positive tonsillar and nasal flora (M. Baele, K. Chiers, L.A. Devriese, H.E. Smith, H.J. Wisselink, M. Vaneechoutte & F. Haesebrouck) 997
Prebiotics from Bifidobacteria (A. Tir Touil Meddah, A. Yazourh, I. Desmet, B. Risbourg, W. Verstraete & M.B. Romond) 1110
Prediction of radiation decontamination (F.M. Salih) 176
Pressurization of *E. coli* O157 and *L. monocytogenes* in fruit juice (S.L. Jordan, C. Pascual, E. Bracey & B.M. Mackey) 463
Proteolytic activity of wild lactococci (P. Morales, E. Fernández-García, P. Gaya, M. Medina & M. Nuñez) 907

Rapid identification of bacilli by ARDRA (D. Caccamo, T.L. Maugeri & C. Gugliandolo) 520
Reporter of *fis* for surface hygiene (A.M. Goulsbra, C. Edwards & M.P. Gallagher) 104
Rhizospheric pseudomonads diversity (S. Rangarajan, P. Loganathan, L.M. Saleena & S. Nair) 742
Ribotyping of *B. thuringiensis* (K.-B. Joung & J.-C. Côté) 279

Salm. Enteritidis dose–response in rats (A.H. Havelaar, J. Garssen, K. Takumi, M.A. Koedam, J.B. Dufrenne, F.M. van Leusden, L. de la Fonteyne, J.T. Bousema & J.G. Vos) 442
Salmonella senftenberg heat inactivation (P. Mañas, R. Pagán, F.J. Sala & S. Condón) 871
Selective media for *V. vulnificus* in environmental samples (M. Cerdà-Cuéllar, L. Permin, J.L. Larsen & A.R. Blanch) 322
Sewage peracetic acid disinfection (S. Stampi, G. De Luca & F. Zanetti) 833
sELISA detection of *E. coli* O157 (P. Kerr, D. Finlay, F. Thomson-Carter & H.J. Ball) 934

Survival of *Salm. typhimurium* in pig slurry (I. Plachá, J. Venglovský, N. Sasáková & I.F. Svoboda) 1036
Survival of enterococci in water (M.M. Lleo, B. Bonato, M.C. Tafi, C. Signoretto, M. Boaretti & P. Canepari) 1095
Synbiotics protect mice from *Salmonella* infection (T. Asahara, K. Nomoto, K. Shimuzi, M. Watanuki & R. Tanaka) 985
Syphilis (A.M. Sefton) 592

The life and works of Louis Pasteur (M. Schwartz) 597
Transient nisin sensitivity in Gram negatives (I.S. Boziaris & M.R. Adams) 715

Viruses and fresh produce (I.J. Seymour & H. Appleton) 759
Virus infections in the community and home (J. Barker, D. Stevens & S.F. Bloomfield) 7